



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Contex	Logo
Company name *	Global Scanning Denmark A/S	Contoy
Contact information * e-mail address	j.gu@globalscanning.com	CONTEX WHEN IMAGING MATTERS
Internet site *	www.contex.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Wide Format Scanner			
Commercial name *	HD Ultra X			
Model number *	RB67G, RC67G, RC67R			
Issue date *	6 May 2024			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

5

Model number *	RB67G, RC67G, RC67R	Logo	contex
Issue date *	6 May 2024		WHEN IMAGING MATTERS

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square	\Box	
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 $\mu g/cm^2/week$			\boxtimes
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$	
F1.7	r.vanhattem@globalscanning.com		Ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$	
	symbol. Information on proper disposal is provided in user manual. (See legal reference)		<u> </u>	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	Ш		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at (add link or e-mail address): r.vanhattem@globalscanning.com			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).			
	Required information is; Significantly given in item P15 or added to this document,			
	available at (add URL):	_		_
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			\boxtimes
	than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there			\boxtimes
	are Community workplace exposure limits, the product/packaging is adequately labeled according to			
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and	\square	$\overline{}$	
	hexavalent chromium by weight of these together.	_		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference).			_
D0	Comment: Legal reference has no maximum concentration values.			
P6 4*	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	RB67G, RC67G, RC67R	Logo	contex
Issue date *	6 May 2024		WHEN IMAGING MATTERS

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Regu	iromo	nt met
	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No	
Item P7	Design	168	INU	ı.a.
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			$\overline{}$
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\overline{H}	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		ᅢ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		\dashv	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes
P7.8*	Upgrading can be done using commonly available tools	\boxtimes	\Box	
P7.9	Spare parts are available after end of production for: years			$\overline{\Box}$
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: <i>Plastic</i> Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		$\overline{\Box}$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

 $see \ \underline{http://www.ecma-internationl.org/publications/standards/Ecma-370.htm}.$

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	RB67G, RC67G, RC67R	Logo	contex
Issue date *	6 May 2024		WHEN IMAGING MATTERS

Product environmental attributes - Market requirements (continued) Requ					equire	ment	met	
Item				,		Yes	No	n.a.
	Material and substa	ance requirements (continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6):	:			
	a) Of total plastic		s below shall be answer the postconsumer recyc is 10%.		ontent (calculated as a			
	b) The weight of r	ecycled material is	g.					
P7.21*	Biobased plastic ma	terial content is used	in the product (See NO	TE B7):			\boxtimes	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g.							
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	P8 Batteries							
P8.1* Battery chemical composition:					\boxtimes			
P9 Energy consumption (See NOTE B8)								
P9.1	For the product the t	following power levels	or energy consumption	ns are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
STAR® Op (OM) prod	de for ENERGY perational Mode ucts	W	<3 W	W	ENERGY STAR® Imag Equipment products (Ve			
ENERGY	ff mode for STAR Operational I) products	W	<0.3W	W	ENERGY STAR® Imag Equipment products (Ve			
TEC value TEC produ	for ENERGY STAR ucts (TEC= Typical onsumption)	kWh/week	kWh/week	kWh/week				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		W	W	W				
		y Level (International	Efficiency Marking Prot	tocol) * :				
Print/Scan	•	30 images per minute	•		ISO/JIS-SCID No.5			
	ne to enter energy sav							
P9.2*	P9.2* Information about the energy save function is provided with the product.							

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	RB67G, RC67G, RC67R	Logo	contex
Issue date *	6 May 2024		WHEN IMAGING MATTERS

Product	environmental	attributes - Market re	quirements (co	ntinued)			Require	ment	met
Item							Yes	No	n.a.
P10	Emissions								
		- Declared according to	ISO 9296 (See N						
P10.1	Mode	Mode description		Statistical up $L_{WA,c}$ (B)	oper limit A-we	eighted sound power	· level,		
	Idle	* Ready Model		* 3.7					\Box
	Operation	* Operation Model		* 6.8					Н
	Other mode	-							
	Measured accord	ding to: SO 7779	ECMA-74 Other	(only if not co	vered by FCM	1A-74)			
	Chemical emiss	sions from printing proc	ucts (See NOTE		,	,			
P10.2*	Test performed a	according to ECMA-328 D	etermination of C	hemical Emis	sion Rates fro	m Electronic		П	\boxtimes
	•	(IEC 28360), other sp							
P10.3	Typical emission	rate (operation phase) is	(mg/h):						
		ohic devices: Ozone	Dust	Styrene	Benzene	TVOC			
	Ink devices:		Dust	Styrene	Benzene	TVOC			
	NOTE: complian	ce with maximum emission	on rates in eco lab	els to be decla	ared in P14.				
P11		aterials for printing prod							
P11.1*	A Safety Data Sh	heet (SDS) is available fo	r the ink/toner pre	paration, ever	n if not legally	required (see P4.3).		\boxtimes	
P11.2*	Paper containing EN 12281.	post-consumer recycled	fibers can be use	d, provided th	at it meets the	e requirements of			
P11.3*	2-sided (duplex)	printing/copying is an inte	egrated product fu	nction.				\boxtimes	
P11.4*	The product is de	elivered to end-user with	default auto-duple	ex enabled.				$\overline{\sqcap}$	
P13	Packaging and	documentation							
P13.1*	Product packagii Product packagii Product packagii	ng material type(s): Carto ng material type(s): Wood ng material type(s): EPS	d	weight (kg): weight (kg): weight (kg):	15.45				
P13.2*		rimary packaging is free							
P13.3*	consumer recove	ary corrugated fiberboard ered fiber content:	%		ed percentage	e of minimum post-			
P13.4*	Specify media for Electronic , P	or user and product docun Paper 🔀, Other 🔲	nentation (tick box	x):					
P13.5		nplete this item if paper de t documentation on pape decify:							
	Totally chlorine-f	ree							
	Elemental chloring	ne-free					П		
	Processed chlori	ine-free					П		
P14	Voluntary progr	rams:							
P14.1		ets the requirements of th	e following volunta	ary program(s)):				
	ENERGY OT : S	0		Date	5	lead and and			
	ENERGY STARGECO-label:	® Criteria vers Criteria vers		Date: Date:		luct category: luct category:			
	Eco-label:	Criteria vers		Date:		luct category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	RB67G, RC67G, RC67R	Logo	contex
Issue date *	6 May 2024		WHEN IMAGING MATTERS

Product	Product environmental attributes - Market requirements (concluded) Requirement in				
P15	Additional information (See NOTE B11)				

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Specific exemptions apply for certain products and plications. Immission Regulation (EC) 1907/2006 (REACH gulation), annex XVII Immission Regulation (EC) 1907/2006 (REACH gulation), annex VII Immission Regulation (EC) 1907/2006 (REACH gulation), Article 31, annex II) Immission Regulation (EC) No. 2037/2000, 2038/2000, 39/2000, (Marketing and use of Ozone layer depleting bstances) Invegian regulation relating to restrictions on the use certain dangerous chemicals 20.12.2002 Intercective 2006/66/EC (Battery and accumulators rective), as amended.* These provisions shall not apply where, for safety, formance, medical or data integrity reasons, continuity of wer supply is necessary and requires a permanent nection between the appliance and the battery or cumulator.	
egulation), annex XVII Immission Regulation (EC) 1907/2006 (REACH egulation), annex VII Immission Regulation (EC) 1907/2006 (REACH egulation), Article 31, annex II) Immission Regulation (EC) No. 2037/2000, 2038/2000, 39/2000, (Marketing and use of Ozone layer depleting bstances) Invegian regulation relating to restrictions on the use certain dangerous chemicals 20.12.2002 Interctive 2006/66/EC (Battery and accumulators rective), as amended.* These provisions shall not apply where, for safety, reformance, medical or data integrity reasons, continuity of wer supply is necessary and requires a permanent enection between the appliance and the battery or cumulator.	
egulation), annex VII Immission Regulation (EC) 1907/2006 (REACH egulation), Article 31, annex II) Immission Regulation (EC) No. 2037/2000, 2038/2000, 39/2000, (Marketing and use of Ozone layer depleting bstances) Invegian regulation relating to restrictions on the use certain dangerous chemicals 20.12.2002 Interctive 2006/66/EC (Battery and accumulators rective), as amended.* These provisions shall not apply where, for safety, reformance, medical or data integrity reasons, continuity of wer supply is necessary and requires a permanent ennection between the appliance and the battery or cumulator.	
egulation), Article 31, annex II) Immission Regulation (EC) No. 2037/2000, 2038/2000, 39/2000, (Marketing and use of Ozone layer depleting bstances) Invegian regulation relating to restrictions on the use certain dangerous chemicals 20.12.2002 Interctive 2006/66/EC (Battery and accumulators rective), as amended.* These provisions shall not apply where, for safety, formance, medical or data integrity reasons, continuity of wer supply is necessary and requires a permanent nection between the appliance and the battery or cumulator.	P5.3
39/2000, (Marketing and use of Ozone layer depleting bstances) Prwegian regulation relating to restrictions on the use certain dangerous chemicals 20.12.2002 Prective 2006/66/EC (Battery and accumulators rective), as amended.* These provisions shall not apply where, for safety, reformance, medical or data integrity reasons, continuity of wer supply is necessary and requires a permanent nection between the appliance and the battery or cumulator.	P5.3
rective 2006/66/EC (Battery and accumulators rective), as amended.* These provisions shall not apply where, for safety, formance, medical or data integrity reasons, continuity of wer supply is necessary and requires a permanent nection between the appliance and the battery or cumulator.	
rective), as amended.* These provisions shall not apply where, for safety, rformance, medical or data integrity reasons, continuity of wer supply is necessary and requires a permanent nnection between the appliance and the battery or cumulator.	
	P2.2, P2.3, P8.1
rective 2014/35/EU (Low Voltage Directive) P3.1	
rective 2014/30/EU (EMC Directive) P3.1	
rective 2014/53/EU (RE Directive) P3.1	
plementing Directive 2005/32/EC of the European rliament and of the Council with regard to ecodesign quirements for standby and off mode electric power nsumption of electrical and electronic household and fice equipment (Standby Regulation)	P3.2, P9.1
emmission Regulation (EC) 801/2013 amending egulation (EC) No 1275/2008 with regard to ecodesign equirements for standby, off mode electric power insumption of electrical and electronic household and electronic equipment, and amending Regulation (EC) No 2/2009 with regard to ecodesign requirements for evisions	
ommission Regulation (EC) No 278/2009 of 6 April 09 implementing Directive 2005/32/EC of the ropean Parliament and of the Council with regard to odesign requirements for no-load condition electric wer demand and average active efficiency of external wer supplies	P3.2, P9.1
mmission Regulation (EC) 1272/2008 (CLP P4.3, egulation)	
rective 2004/12/EC (Packaging Directive) P5.1	P7.19
cision 97/129/EC (Secondary packaging legislation) P5.2	P7.19

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	