

IQ Quattro

24"



**FAST, CRISP, AND
SHARP SCANS OF
LARGE FORMAT
DOCUMENTS**

MORE PRECISION IN EVERY PIXEL

IQ Quattro captures every detail because of its advanced 48-bit CIS technology passing the best 24-bits to the file at up to 1200 dpi optical resolution.

Faster: Spend less time scanning and instead focus on what matters to you.

Better: Shadows and unwanted background are suppressed leaving you with crisp, sharp and natural scans – ready to be used in your continued workflow.

Unique technology: With Contex CleanScan CIS modules, superfast Ethernet and award-winning Nextimage software, Contex IQ Quattro is the leading scanner for technical projects.

High productivity

Designed for the most demanding high-production environments.

Green

Energy Star® compliant using only 0.5 W in standby mode.

Compatible

Compatible with AutoCAD®, ESRI® and many other software applications.

Adjustable

Adaptable floor stands for stand-alone and MFP configurations.

Printer drivers

Copy and print to HP, Canon, Epson and Océ printers. See the full list at contex.com/nextimage-supported-printers.

SCAN FASTER IN GREATER DETAIL

SEE MORE: contex.com/iqqattro


 **contex**[®]
WHEN IMAGING MATTERS

| IQ QUATTRO 2490 | |
|--|--|
| Scanning Speed¹ (inch/sec.) while scanning 24-inch wide document | |
| 200 dpi RGB color | 14 |
| Upgradable to 14 inch/sec color | Included |
| 200 dpi grayscale/monochrome | 14 |
| Maximum scan width | 24 inches (610 mm) |
| Maximum media width | 26.6 inches (676 mm) |
| Working height ² | 32.8/33.8/34.8 inches (834/859/884 mm) |
| Optical resolution | 1200 dpi |
| Maximum resolution | 9600 dpi |
| Total number of pixels | 32400 pixels |
| CIS technology ³ | Contex CleanScan |
| Contex SIGMA ⁴ | Included |
| Contex CFR ⁵ | Included |
| Maximum media thickness | 0.08 inch (2 mm) flexible documents only |
| Accuracy | 0.1% +/-1 pixel |
| Data capture (color/mono) | 48-bit / 16-bit |
| Color space | Adobe RGB, Device RGB, RAW RGB, sRGB |
| USB with xDTR | Included |
| Gigabit Ethernet with xDTR2 | Included |
| Cloud enabled | Yes |
| Network workflow | Push-pull |
| Energy Star [®] certified | Included |
| Included software ⁶ | Nextimage 30 day trial (incl. TWAIN driver, excl. licence) |
| Optional software | Nextimage Scan+Archive, Nextimage Repro |
| File formats ⁷ | TIF, JPG, PDF, PDF/A, DWF, CALS, BMP, JPEG-2000(JP2), JPEG2000 Extended(JPX), TIF-G3, TIF-G4, others |
| Device drivers | Windows 10 and Windows 8.1, 32-bit and 64-bit |
| Power consumption | Ready: 10W. Sleep mode: 0.5W. Scanning: 18W |
| Power requirements | 100-240V, 60/50Hz, 18W |
| Weight | 35.5 lbs. (16.1 kg) |
| Dimensions (LxWxH) | 32.4x18.9x6.3 in (823x480x160 mm) |
| Certifications/compliance | CE, cUL, Customs Union, Ukr, VCCI, FCC Class A, RoHS and ENERGY STAR [®] certified |
| Country of origin | Designed and engineered in Denmark. Manufactured in China. |


- Scanning speeds depend on document width and computer configuration. Contex recommends Intel Core Duo, Core 2 Duo, or better processors, 2GB RAM, Hi-Speed USB2. Speed tests performed using Nextimage software, PC with Intel Core i5-2500 Quad processor, 8GB RAM, Hi-Speed USB2, 7200rpm HDD.
- Requires optional scanner stand.
- Contex CleanScan technology is based on custom CIS modules with dual-sided LED light and Dual Diffusion.
- Signal Intensity Matching (SIGMA) is a Contex patent. Sensor heating during a scan can cause inhomogeneous images. Thanks to Contex innovative thinking Contex IQ Quattro scanners will minimize sensor differences LIVE during a scan.
- Color Fringe Removal (CFR) is an advanced Contex patented filtering technology designed to remove the fringes inherent in CIS strobing scanning devices.
- Contex applications creates industry standard raster file formats that can be used in any CAD or GIS application.
- Requires optional Nextimage software

All trademarks remain the property of their respective holders, and are used only to directly describe the product being provided. Their use does not indicate a relationship between Contex and the trademark holders.

IQ Quattro gives you fast results combined with excellent image quality



Contex CleanScan CIS
The IQ Quattro Scanners are equipped with Contex CleanScan CIS modules which facilitate optical image quality with dual-sided LED lighting. This eliminates creases and folds in originals normally a challenge for CIS scanners, and thus provides clear, crisp scans every time.



Color fringe removal (CFR) technology
Color Fringe Removal (CFR) is an advanced Contex patented filtering technology designed to remove the fringes inherent in CIS strobing scanning devices.

Contex solutions are compatible with all leading large-format printers. See the full list at contex.com/nextimage-supported-printers



contex.com/iqquattro

Contex HQ & EMEA
Global Scanning Denmark A/S
Copenhagen, Denmark
Phone: +45 4814 1122
info@contex.com

Contex Americas
Global Scanning Americas Inc.
Chantilly, VA, 20151, USA
Phone: +1 (877) 226 6839
salesamericas@contex.com

Contex Japan & Asia
Global Scanning Japan A/S
Yokohama, Japan
Phone: +81 45 548 8547
apac@contex.com

