

USER-CENTERED MFP SYSTEM

Your personalized MFP solution

SD One MF is an innovative concept in MFP solutions. Centered around you, every user has a unique personal profile with their preferences stored, allowing you to email or save to your preferred folder or personal Cloud in just one step.

Information sharing

Using the embedded controller and the built-in multi-touch screen, you can mark up your scan and share it digitally.

Printer choices

And if you need to print, SD One MF fully integrates with major printer brands, giving you the flexibility to link this powerful scanner with your choice of printer.

Embedded controller

Directly control your scanning process on the built-in 7" multi-touch screen.

Cloud service

Scan to your favourite cloud services.

Full color

SD One MF supports full color scanning.

All popular file formats

Supports all popular scan file formats – like PDF, TIFF and JPEG.

Green

EPA Energy Star® certified device.



SEE MORE: contex.com/sdonemf





	SD ONE MF 24	SD ONE MF 36	SD ONE MF 44
Maximum scan width	24 inches (610 mm)	36 inches (914 mm)	44 inches (1118 mm)
Maximum media width	26.6 inches (675 mm)	39.9 inches (1014 mm)	47.2 inches (1200 mm)
Maximum scan length	50 inches (1270 mm)	50 inches (1270 mm)	50 inches (1270 mm)
SCANNING SPEED (INCH/SEC.): Sca	nner speed while scanning 24" wide doc	ument	
150 dpi	3.8	3.8	3.8
300 dpi	1.9	1.9	1.9
600 dpi	1.0	1.0	1.0
CAPTURE TECHNOLOGY			
Optical resolution	600 dpi	600 dpi	600 dpi
Maximum resolution	9600 dpi ¹	9600 dpi ¹	9600 dpi ¹
CIS technology	Contex CleanScan CIS	Contex CleanScan CIS	Contex CleanScan CIS
Maximum media thickness	0.75 mm	0.75 mm	0.75 mm
Accuracy	0.1% +/- 1 pixel	0.1% +/- 1 pixel	0.1% +/- 1 pixel
Data capture (color/mono)	48-bit	48-bit	48-bit
Color space	sRGB	sRGB	sRGB
Scan to USB key	Yes. USB 3.0	Yes. USB 3.0	Yes. USB 3.0
Energy Star® compliant	Yes	Yes	Yes
CONNECTIVITY			
Supported OS	Windows 11 64-bit, Windows 10 32-bit and 64-bit		
Cloud destinations	Dropbox, Google Drive, OneDrive, Box.com		
Network	Wireless (IEEE 80)	2.11b, IEEE 802.11g, IEEE 802.11n) up to 150 Mb	pps/Gigabit Ethernet
EMBEDDED CONTROLLER			
Touch screen	7" multi-touch screen. 800 x 480 pixels		
Processor	Atom Quad-Core		
Memory (RAM/flash)	8 GB/16 GB		
Destinations	Network PCs, cloud, copy, email and USB drive		
Included software (download) ²	Contex LINK networking and cloud access utility, Nextimage 30 day trial (incl. TWAIN driver, excl. licence)		
Optional software ²	Nextimage Scan+Archive, Nextimage Repro (requires PC, not included)		
File formats	PDF, PDF/A, TIF and JPG TIF, JPG, PDF, PDF/A, DWF, CALS, BMP, JPEG-2000(JP2), JPEG2000 Extended(JPX),		
Additional file formats ¹	TIF-G3, TIF-G4, multi-page PDF and others		
Supported printers	Selected HP, Canon and EPSON large format printers. See full list in Release Notes at contex.com/support/software-sdonemf/		
POWER, WEIGHT AND DIMENSIONS	•		
Power consumption	Ready/Power Save/Scanning: 26/3.6/31 W		
Power requirements	External power supply 100-240 VAC, 60/50 Hz, 33 W		
Weight and dimensions (LxWxH)	9.5 kg	12.3 kg	14.1 kg
High stand printer heights		45.6×8.9×4.9 inches (1159×227×125 mm) in 50 mm increments (33.5 to 47.3 inches in a	
Low stand working heights		n 25 mm increments (31.9 to 33.9 inches in a	,
CERTIFICATIONS AND WARRANTY			2000 - Morrimoromontaj
	IEC 60950. Certificates: cUL (USA and	Canada), CE (Europe), CCC (China), PSE (Jap	oan), EAC (Russia, Kazakhstan, Belarus),
Safety Electro Magnetic Compatibility (EMC)	Compliant with Class A requirements, inc	(Korea), BSMI (Taiwan), Ukr (Ukraine) and BIS (cluding FCC rules (USA), ICES (Canada), EMC	Directive (EU), CCC (China), VCCI (Japan),
	EAC (Russia, Kazakhstan, Belarus), KC (Korea), BSMI (Taiwan), Ukr (Ukraine) and BIS (India)		
Environmental	ENERGY STAR® Certified, EuP (EU), WEEE (EU), RoHS (EU) and REACH (EU)		
Country of origin	Designed in Denmark. Manufactored in China		
Warranty	2-year warranty with fast, easy parts replacement Scanner (24", 36" or 44" model), 2 m Ethernet cable, external power supply,		
What's in the box		uide, calibration poster, calibration sheet and	

- 1. Requires optional Nextimage software
- 2. Contex applications create industry standard raster file formats that can be used in any CAD or GIS application

All trademarks remain the property of their respective holders, and are used only to directly describe the product being provided. Their use in no way indicates any relationship between Contex and the trademark holders.

Contex SD One MF delivers simplicity to the MFP



Improving the original Double-sided LED light inside the scanner eliminates any shadows on the scan even if the original is in poor condition.



Workflow optimization Annotate directly into the scanned image then save it to your preferred file. SD One MF creates a new workflow for your scanning environment.

SD One MF is compatible with leading large format printers. See the full list of supported printers in the Release Notes for SD One MF at contex.com/support/software-sdonemf/









contex.com/sdonemf

Contex HQ & EMEA

